




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED



4X 1/2-20 UNC-2B THRU

\oplus	ϕ	.015(M)	A	B	C
----------	--------	---------	---	---	---

6X ϕ .41 THRU ϕ 0.59 ∇ x.41

\oplus	ϕ	.010(M)	A	B	C
----------	--------	---------	---	---	---

- NOTES: UNLESS OTHERWISE SPECIFIED
1. REMOVE ALL BURRS AND BREAK SHARP EDGES TO A MAXIMUM OF .015
 2. PART NUMBER (DRAWING NO., DASH NO., REVISION NO., SERIAL NO.) TO BE CLEARLY MARKED ON THE PART ITSELF
 3. PAINT:
ALL VISIBLE SURFACES
MEDIUM BLUE SHERWIN WILLIAMS (POLANE (R) T-PLUS POLYURETHANE ENAMEL) #SW-F63TX-L-2822-5864
PRIME WITH SHERWIN WILLIAMS INDUSTRIAL WASH PRIMER P60G2
 4. BOTH TAPPED AND THRU HOLES WILL BE PLUGGED DURING APPLICATION.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
DECIMALS ANGLES
.X \pm .06
.XX \pm .01 \pm 1
.XXX \pm .005

CAD GENERATED DRAWING,
DO NOT MANUALLY UPDATE

APPROVALS	DATE
DRAWN D. MASON	1/11/02
CHECKED K. MASON	1/11/02
RESP ENG	
MFG ENG	
QUAL ENG	

LIGO CALIFORNIA INSTITUTE OF TECHNOLOGY
MASSACHUSETTS INSTITUTE OF TECHNOLOGY

**CROSSBEAM ATTACHMENT PLATE
HYDRAULIC ISOLATOR**

SIZE B	DWG. NO. D020008-A-D	REV A
SCALE 1:3	CAD FILE: D020008-A.SLDRAW	SHEET 1 OF 1