



REVISIONS		
REV.	DESCRIPTION	DATE
A	E030103-00	
B	E030526-00-E	10/18/03

Ø 1.50  
typ (4) plcs





□ .01 A

2.39 2.70

8 X 8 X 1/2 ANGLE

0.50 REF

□ .01 A  
□ .005 B



□ .01 A B  
□ .01 C

USE 3/8 PLATE STOCK OR EQUIVALENT (2) PLCS

- NOTES: UNLESS OTHERWISE SPECIFIED
1. REMOVE ALL BURRS AND BREAK SHARP EDGES TO A MAXIMUM OF .015
  2. PART NUMBER (DRAWING NO., DASH NO., REVISION NO., SERIAL NO.) TO BE CLEARLY MARKED ON THE PART ITSELF
  3. PAINT:  
ALL VISIBLE SURFACES  
MEDIUM BLUE SHERWIN WILLIAMS (POLANE (R) T-PLUS POLYURETHANE ENAMEL) #SW-F63TX-L-2822-5864  
PRIME WITH SHERWIN WILLIAMS INDUSTRIAL WASH PRIMER P60G2
  4. "OXI SOLV RUST INHIBITOR" TO BE APPLIED PER MFG. INSTRUCTIONS TO ALL UNPAINTED SURFACES.  
BOTH TAPPED AND THRU HOLES WILL BE PLUGGED DURING APPLICATION.

RELEASE FOR PRODUCTION, DCN No. E030526, 10.30.03

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	CAD GENERATED DRAWING. DO NOT MANUALLY UPDATE	CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY
TOLERANCES ARE: DECIMALS ANGLES .X ± .06 .XX ± .01 ± 1 .XXX ± .005	APPROVALS DATE DRAWN M. HAMMOND 10/17/03 CHECKED M. HAMMOND 10/17/03 RESP ENG	
MATERIAL ASTM A36 STEEL	MFG ENG	SIZE DWG. NO. D020016-B REV. B
FINISH SEE NOTES	QUAL ENG	SCALE 1:3.5 CAD FILE: D020016-A.SLDDRW SHEET 1 OF 1
DO NOT SCALE DRAWING		