## **Universal Balloon**

## Expanding balloon universe

# roduction

Inflating a balloon can model the expansion of the universe.

#### Material

- A balloon, orange is best.
- a paper clip
- Stick on dots or stars (as small as possible.)
- · measuring tapes
- graph paper

## To Do and Notice

Blow up a balloon until it is firm yet small.

Stick on a half dozen dots at random.

Each dot represents a cluster of galaxies, a hundred million light years across.



The small balloon universe. Each dot is a cluster of galaxies.

Notice the triangle.

Pick one dot to be the cluster of galaxies that we live in, label it A.

Label the nearest galaxy to A, B.

Label the second nearest galaxy C.

asure the distance along the surface of the balloon from A to B.

(Imagine two-dimensional beings, flat ants or flants, living in the clusters. To the flants there is no

other distance except for the distance along the balloon they cannot imagine the shortcut through the third dimension. Just like we creatures of three-dimensions find it hard to picture four dimensional space.)

easure the distance from A to C.

Blow up the balloon until the distance from A to B is double the original distance.



The large balloon universe. Notice the same triangle.

Measure the distance from A to C.


Notice the distance from A to C has also doubled.

For example if A to B is 5 cm and you blow up the balloon until it is 10 cm.

Then the distance from A to C which might have been 9 cm will grow to 18 cm.

If you plot these points on a Hubble diagram of velocity versus distance assuming you blow up the balloon in 1 second, then the velocity of A to C expansion (10-5) cm/1 s will be plotted against the initial distance to A, 5 cm. Similarly, the velocity of C with respect to A is (18-9) cm/1s will be plotted against 9 cm. Both of these points lie on a straight line through the origin.

Repeat the experiment using all of your dots and notice that they lie on a straight line in a Hubble Plot.



# What's Going On?

If the universe is expanding uniformly so that the distance between every two points grows by the same fraction in every time interval, as points stuck to a balloon do, then these points will lie on a straight line in a Hubble plot.

hen the recession velocity of galaxies is plotted versus distance out to 1.5 billion light years the points lie on a straight line.